


# FUJIDA BREAKER GREASE

*Multipurpose Automotive Grease*



## Description

FUJIDA BREAKER GREASE is a complex lithium-based grease containing molybdenum disulphide ( $\text{MOS}_2$ ). It helps prevent the depletion of normal grease lubrication by leaving a coat of residual of molybdenum disulphide on the applied surface, creating a 'dry' or 'solid' lubrication over the recommended operating temperature range.

## Features & Benefits

- Good high load carrying capacity
- Prevention of scuffing
- High resistance to water and rust

## Typical Properties

Soap base	Lithium
NLGI Classification	2
Color	Greyish black
Worked Penetration, 60 strokes	280
Drop Point ( $^{\circ}\text{C}$ )/( $^{\circ}\text{F}$ ), min	260(500)
Viscosity, cst @ $40^{\circ}\text{C}$	218
Viscosity, cst @ $100^{\circ}\text{C}$	17
Rust Test, ASTM D1743	Pass
Texture	Smooth, Buttery

Available Packings: 30gm tube, 500gm, 2kg, 15kg, 180kg

- Reduced wear in high shock loaded conditions

## Applications

- To be used in heavily loaded slow/medium speed bearings, preventing bearing damage caused by excessive vibration from shock damage.
- Suitable for lubrication of automotive and tractors parts where sliding motions are prominent.
- Can be used in both dry and moist conditions.

*The above product when used according to our recommendations and for the purpose for which it is intended, presents no particular hazards.*

JC HARDY TRADING CO PTE LTD